



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident Cannabis
1 of 3

406 CBD

261 Liberty Ln
Winifred, MT 59489
heidi@406cbd.com
(701) 361-0982
Lic. #

Sample: 1912FID3090.19171

Strain: Hemp
Batch #: ; Lot #:
METRC Batch: ; METRC Sample:
Analysis Initiated: 12/23/2019; Report Created: 12/30/2019
Sampling SOP: SOP-0050

Bath Bomb

Topical, Bath Salts, Multiple Hydrocarbons



ND

Total Potential
Psychoactive THC

23.26 mg/unit

Total CBD

Not Tested

Foreign Matter

ND

Total Raw THC

23.26 mg/unit

Total Cannabinoids

Not Tested

NT

Moisture

Cannabinoids

Complete

Analytical Calibration Batch: Cannabinoids AF 12102019

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	21.68	ND	ND
Δ^9 -THC	21.68	<LOQ	<LOQ
Δ^8 -THC	21.68	ND	ND
THCV	21.68	ND	ND
CBDa	21.68	ND	ND
CBD	21.68	23.26	0.11
CBN	21.68	ND	ND
CBGa	21.68	ND	ND
CBG	21.68	ND	ND
CBC	21.68	ND	ND
Total		23.26	0.11



1 Unit = 1 Bath Bomb, 216.8305g

Total Potential Psychoactive THC = THCa * 0.877 + Δ^9 -THC
Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0037; Full spectrum cannabinoid analysis utilizing Shimadzu Prominence High Performance Liquid Chromatography with UV detection (HPLC-UV). SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.

SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory
1001 North Russell St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-00002



Emily M. Crane

Emily Crane
QC Manager

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 002



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident Cannabis
2 of 3

406 CBD

261 Liberty Ln
Winifred, MT 59489
heidi@406cbd.com
(701) 361-0982
Lic. #

Sample: 1912FID3090.19171

Strain: Hemp

Batch #: ; Lot #:

METRC Batch: ; METRC Sample:

Analysis Initiated: 12/23/2019; Report Created: 12/30/2019

Sampling SOP: SOP-0050

Bath Bomb

Topical, Bath Salts, Multiple Hydrocarbons



Terpenes

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
---------	-----	------	------

Primary Aromas

--	--	--	--	--

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
1001 North Russell St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-00002



Emily M. Crane

Emily Crane
QC Manager

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 002



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident Cannabis
3 of 3

406 CBD

261 Liberty Ln
Winifred, MT 59489
heidi@406cbd.com
(701) 361-0982
Lic. #

Sample: 1912FID3090.19171

Strain: Hemp
Batch #: ; Lot #:
METRC Batch: ; METRC Sample:
Analysis Initiated: 12/23/2019; Report Created: 12/30/2019
Sampling SOP: SOP-0050

Bath Bomb

Topical, Bath Salts, Multiple Hydrocarbons



Residual Solvents

Analytical Calibration Batch:

Not Tested

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Analytical Calibration Batch:

Not Tested

Analyte	LOQ	State Limit	Mass	Status
---------	-----	-------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0057: Mold, E.Coli, and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods.
SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
1001 North Russell St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-00002



Emily M. Crane

Emily Crane
QC Manager

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 002